

## **Dimming Compatibility**

ID E1803013V0

**Product Family:** SILO X10

Sku Tested: MO-2010-930-WT Related Model MO-2010-930

Numbers:

Test Voltage: 120-277VAC

Control Type: ELV

**Test Notes:** Refer to dimmer manufacturer's dimmer load rating for min and max fixture quantities per dimmer.

Manufacturer	Product	Model Number	Test Voltage (V)	Measured Dimming Range Low End	Comments					
Adaptive Phase Dimmers										
Control4	Adaptive	C4-APD120	120	72.0%						
Legrand	Adorne Touch (ELV)	ADTH700RMTUM1	120	13.0%	Flicker below 13%					
Legrand	Adorne Touch (TRIAC)	ADTH700RMTUM1	120	12.0%	Not Recommended					
Legrand	Radiant	RH703PTUW	120	6.0%						
Legrand	Adorne (ELV)	ADTP703TUW4	120	5.0%						
Legrand	Adorne (TRIAC)	ADTP703TUW4	120	44.0%	Not Recommended					
Cooper	AL Series	AAL06	120	44.0%	Flicker below 44%					
Control4	Adaptive	C4-APD277	277	6.0%						
Reverse Phase Dimmers (ELV)										
Lutron	Nova T	NTELV-600	120	3.0%						
Lutron	Diva	DVELV-300P	120	2.0%						
Lutron	Maestro	MAELV-600	120	2.0%						
Lutron	Skylark	SELV-300P	120	2.0%						
Leviton	Illumatech	IPE04-1LZ	120	17.0%						
Lutron	Maestro	RRD-6NA	120	2.0%						
Leviton	SureSlide	6615-P0W	120	10.0%						
Leviton	Decora	DSE06-10Z	120	2.0%						
Lutron	Caseta	PD-5NE	120	2.0%						
Lutron	Homeworks	HRD-5NE	120	51.0%	Flicker below 51%					
Leviton	Renoir II	AWSMT-EBW	120	3.0%						
Lutron	Grafik-Eye	GRX-3103-A-G	120	2.0%						
Leviton	Renoir II	AWSMT-EBW	277	3.0%						
Lutron	Grafik-Eye	GRX-3103-A-G	277	2.0%						
Forward Phase Dimmers (TRIAC)										
Lutron	Maestro	MACL-153M-WH	120	9.0%	Not Recommended					
Lutron	Diva	DVCL-153PD	120	16.0%	Not Recommended					
Legrand	Adorne Paddle	ADPD453LW2	120	N/A	Not Recommended					
Lutron	Ariadni	AYCL-153PH	120	77.0%	Not Recommended					

Perceived light level percentage is the square root of the measured light level percentage, per IESNA Lighting Handbook. This report reflects WAC's test results of a single fixture in single-pole wiring configuration for reference purposes; actual results may vary based on field conditions. Dimmer manufacturers may modify their product at any time, without notice to WAC Lighting, and therefore WAC Lighting cannot ensure future compatibility. For any questions on this report, please contact WAC Lighting Customer Service at 1-800-526-2588 or sales@waclighting.com.



## Responsible Lighting®

Forward Phase Dimmers (TRIAC) Cont.								
Lutron	Skylark	SCL-153P-WH	120	3.0%	Not Recommended			
Lutron	Maestro	MA-600-WH	120	N/A	Not Recommended			
Leviton	SureSlide	6674-POW	120	N/A	Not Recommended			
Lutron	Caseta	PD-6WCL	120	17.0%	Not Recommended			
Legrand	Harmony	HCL453PW	120	N/A	Not Recommended			
Legrand	Radiant	RHCL453PW	120	N/A	Not Recommended			

Perceived light level percentage is the square root of the measured light level percentage, per IESNA Lighting Handbook. This report reflects WAC's test results of a single fixture in single-pole wiring configuration for reference purposes; actual results may vary based on field conditions. Dimmer manufacturers may modify their product at any time, without notice to WAC Lighting, and therefore WAC Lighting cannot ensure future compatibility. For any questions on this report, please contact WAC Lighting Customer Service at 1-800-526-2588 or sales@waclighting.com.