
FIORI - model: G515

WAC LIGHTING

ollection Glass Pendant Responsible Lighting®







Fixture Type:	
Catalog Numbe	er:
Project:	
Location:	

PRODUCT DESCRIPTION

Millefiori glass is made by Italian artisans fusing and stretching hand made Murrine glass rods into individual floral patterned slices of glass applied onto molten glass and mouth blown to form. The result is an intricate montage of colors and patterns.

FEATURES

- Available in LED or Halogen
- Can be used on canopies, all Quick Connect™, line voltage, rail and track systems
- All socket sets include 72" wire that may be cut in the field
- · 5 year WAC Lighting product warranty
- UL & CUL Listed

CONSTRUCTION

- Socket Set: Aluminum w/clear glass lens
- MP Canopy: Steel

- Adapters Solorail™, Duorail™: Copper
- Adapters 120V Track, Flexrail1: Polycarbonate

COMPATIBLE SYSTEMS

Canopy (MP)

LED or Low Voltage Halogen lamp

Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp



The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.

Sold as a complete unit with a single Order Number, no adapters needed.

Quick Connect™ (QP)

LED or Low Voltage Halogen lamp

Includes:

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp



For use on 120V Track, Solorail™, Duorail™, and Flexrail1™ with proper Quick Connect™ adapter (sold separately). Can also be used on any Quick Connect™ Canopy (sold separately)

no adapter needed.

Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.

For Lamp Specifications and Ordering Information see next page.

WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 **Headquarters/Eastern Distribution Center**44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

FIORI - model: G515

WAC LIGHTING

Responsible Lighting®

European Collection Glass Pendant

SOCKET SET and LAMP INFORMATION

LED

Lamp: LEDme® (included)

Power: 4W Lumens: 330

Color Temperature: 3000K

CRI: 85

- May be dimmed w/electronic low voltage (ELV) dimmer
- Threaded ring used to secure shade to socket
- 30,000 hour rated life
- · Energy efficient
- No projected Ultraviolet or Infrared radiation

Low Voltage

Lamp: 12V Halogen JC-50 (included)

Power: 50W max

- May be dimmed
- · Lamp shield secures shade to socket
- Includes 12V, 50W halogen bi-pin
- 20W and 35W lamps available (order separately)

Syste	em	Model	Lamping	Shade Finish	Socket Finish
	Canopy Quick Connect™	LED515 515	LED Halogen	MF Millefiori	BN Brushed Nickel CH Chrome DB Dark Bronze

Example: MP-LED515-MF/CH

Canopy models (MP) include Quick Adjust™ canopy Quick Connect™ (QP) models require additional adapter



Example: MP-LED515-MF/CH

SOCKET FINISHES

BN - Brushed Nickel



DB - Dark Bronze




FIORI - model: G515

WAC LIGHTING

Responsible Lighting®

European Collection Glass Pendant

QUICK CONNECT™ ADAPTERS (order one per fixture)




Duorail™	Model #	Finish
El	LM2-QADP	BN
Mi		CH
W.		DB
w		

Flexrail1™ HM1-EN50 DB PT



ORDER NUMBER



Example: LM-QADP-BN

QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER



Finish
BN
СН
DB



Finish
MR



h



Model # Finish

QMP-G3RE MR


QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER







ORDER NUMBER



Example: QMP-60ERN-BN

FINISHES

BK - Black BN - Brushed Nickel CH - Chrome DB - Dark Bronze MR - Mirror PT - Platinum

WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 **Headquarters/Eastern Distribution Center**44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

WT - White