



AMBROSIA– model: G546

European Collection Glass Pendant

WAC LIGHTING

Responsible Lighting®



Fixture Type:

Catalog Number:

Project: _____

Location: _____

PRODUCT DESCRIPTION

This spectacular dichroic glass pendant is a diamond in the rough. The shade features a unique iridescent technique resulting in a stunning look. Made in Germany.

FEATURES

- LED, Low Voltage and Line Voltage options available
- Can be used on canopies, all Quick Connect™ systems and line voltage rail and track systems
- All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

CONSTRUCTION

- **Shade:** Iridescent dichroic glass
- **LED Socket Set:** Aluminum w/acrylic diffuser
- **Low and Line Voltage Socket Set:** Machined aluminum w/frosted glass shield
- **MP Canopy:** Steel
- **Adapters – Solorail™, Duorail™:** Copper
- **Adapters – 120V Track, Flexrail1:** Polycarbonate

COMPATIBLE SYSTEMS

Canopy (MP)

LED or Low Voltage halogen lamp options

Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp



The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.

Sold as a complete unit with a single Order Number, no adapters needed.

Quick Connect™ (QP)

LED or Low Voltage halogen lamp options

Includes:

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp



For use on 120V Track, Solorail™, Duorail™, and Flexrail1™ with proper Quick Connect™ adapter (sold separately).

Can also be used on any Quick Connect™ Canopy (sold separately) no adapter needed.

Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.

Line Voltage Rail and Track

Line Voltage xenon lamp

Includes:

- Shade
- Adapter to Rail or Track
- Socket Set
- Lamp

For use with 120V H, L and J single circuit track and J2 two circuit track systems and Flexrail1™ rail systems.

Sold as a complete unit with a single Order Number, adapter included.

For Lamp Specifications and Ordering Information see next page.

WAC Lighting

www.waclighting.com

Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center

44 Harbor Park Drive • Port Washington, NY 11050

Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center

1750 Archibald Avenue • Ontario, CA 91760

Phone (800) 526.2588 • Fax (800) 526.2585

AMBROSIA- model: G546

European Collection Glass Pendant

WAC LIGHTING


Responsible Lighting®

SOCKET SET and LAMP INFORMATION

LEDme®

LED: 12V/4W, 330 lumens, 3000K, CRI 85 (included)


- May be dimmed w/electronic low voltage (ELV) dimmer
- Threaded ring used to secure shade to socket
- 30,000 hour rated life
- Energy efficient
- No projected Ultraviolet or Infrared radiation



Low Voltage

Lamp: 12V/50W max, halogen JC-50 (included)


- May be dimmed
- Lamp shield secures shade to socket
- Includes 12V, 50W halogen bi-pin
- 20W and 35W lamps available (order separately)



Line Voltage

Lamp: 120V/50W max, xenon JCD-50X (included)

- May be dimmed
- Lamp shield used to secure shade to socket
- Includes 120V, 50W halogen lamp



ORDER NUMBER

LEDme®

System	Model #	Shade Color	Finish
MP-LED Canopy	546	DIC	BN
QP-LED Quick Connect™			CH DB

Canopy (**MP**) models ordered as complete unit.

Quick Connect™ (**QP**) models must be ordered with an adapter or canopy, see next page for ordering info.

Low Voltage

System	Model #	Shade Color	Finish
MP- Canopy	546	DIC	BN
QP Quick Connect™			CH DB

Line Voltage

System	Model #	Shade Color	Finish
HM1- Flexrail1™	546	DIC	DB
LTK- L Track			PT
HTK- H Track			BN
JTK- J/J2 Track			DB

All Line Voltage models ordered as complete unit, adapter included.

System Model # - Color / Finish

Example: **MP-LED546-DIC/BN**

SHADE COLORS

DIC-Dichroic



FINISHES

BN-Brushed Nickel



CH-Chrome



DB-Dark Bronze



PT-Platinum



WAC Lighting

www.waclighting.com

Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center

44 Harbor Park Drive • Port Washington, NY 11050

Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center

1750 Archibald Avenue • Ontario, CA 91760

Phone (800) 526.2588 • Fax (800) 526.2585





AMBROSIA- model: G546

European Collection Glass Pendant

WAC LIGHTING

Responsible Lighting®

QUICK CONNECT™ ADAPTERS (order one per fixture)

Solorail™	Model #	Finish	Duorail™	Model #	Finish
	LM-QADP	BN CH DB		LM2-QADP	BN CH DB
Flexrail1™	Model #	Finish	120V Track	Model #	Finish
	HM1-EN50	DB PT		EN-LQ50AR EN-HQ50AR EN-JQ50AR	BK BN DB WT

ORDER NUMBER




Model # - Finish

Example: **LM-QADP-BN**

QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER

			
Model #	Model #	Model #	Model #
QMP-60ERN	QMP-G1RN	QMP-G3RN	QMP-G3RE
Finish	Finish	Finish	Finish
BN CH DB	MR	MR	MR

QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER


		
Model #	Model #	Model #
QMP-MI-TR	QMP-1RN-TR	QMP-1SQ-TR
Finish	Finish	Finish
BN CH DB	BN CH DB	BN CH DB

ORDER NUMBER

Model # - Finish

Example: **QMP-60ERN-BN**

FINISHES

BK - Black	BN - Brushed Nickel	CH - Chrome	DB - Dark Bronze	MR - Mirror	PT - Platinum	WT - White
						

WAC Lighting
www.waclighting.com
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center
44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center
1750 Archibald Avenue • Ontario, CA 91760
Phone (800) 526.2588 • Fax (800) 526.2585