


GINKGO– model: G538

Artisan Collection Glass Pendant

WAC LIGHTING

Responsible Lighting®



Fixture Type:

Catalog Number:

Project:

Location:

PRODUCT DESCRIPTION

A background of blue, green, rose and gold shades shimmer on this unique glass pendant. When illuminated, the iridescent backdrop seems to disappear and the patterns float tone on tone.

FEATURES

- LED, Low Voltage and Line Voltage options available
- Can be used on canopies, all Quick Connect™ systems and line voltage rail and track systems
- All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

CONSTRUCTION

- **Shade:** Art glass
- **LED Socket Set:** Aluminum w/acrylic diffuser
- **Low and Line Voltage Socket Set:** Machined aluminum w/frosted glass shield
- **MP Canopy:** Steel
- **Adapters – Solorail™, Duorail™:** Copper
- **Adapters – 120V Track, Flexrail1™:** Polycarbonate

COMPATIBLE SYSTEMS

Canopy (MP)

LED or Low Voltage halogen lamp options

Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp



The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.

Sold as a complete unit with a single Order Number, no adapters needed.

Quick Connect™ (QP)

LED or Low Voltage halogen lamp options

Includes:

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp



For use on 120V Track, Solorail™, Duorail™, and Flexrail1™ with proper Quick Connect™ adapter (sold separately).

Can also be used on any Quick Connect™ Canopy (sold separately) no adapter needed.

Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.

Line Voltage Rail and Track

Line Voltage xenon lamp

Includes:

- Shade
- Adapter to Rail or Track
- Socket Set
- Lamp

For use with 120V H, L and J single circuit track and J2 two circuit track systems and Flexrail1™ rail systems.

Sold as a complete unit with a single Order Number, adapter included.

For Lamp Specifications and Ordering Information see next page.

WAC Lighting

www.waclighting.com

Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center

44 Harbor Park Drive • Port Washington, NY 11050

Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center

1750 Archibald Avenue • Ontario, CA 91760

Phone (800) 526.2588 • Fax (800) 526.2585

GINKGO – model: G538

Artisan Collection Glass Pendant

WAC LIGHTING


Responsible Lighting®

SOCKET SET and LAMP INFORMATION

LEDme®

LED: 12V/5W, 230 lumens, 3500K, CRI 75 (included)


- May be dimmed w/electronic low voltage (ELV) dimmer
- Threaded ring used to secure shade to socket
- 30,000 hour rated life
- Energy efficient
- No projected Ultraviolet or Infrared radiation



Low Voltage

Lamp: 12V/50W max, halogen JC-50 (included)


- May be dimmed
- Lamp shield secures shade to socket
- Includes 12V, 50W halogen bi-pin
- 20W and 35W lamps available (order separately)



Line Voltage

Lamp: 120V/50W max, xenon JCD-50X (included)

- May be dimmed
- Lamp shield used to secure shade to socket
- Includes 120V, 50W halogen lamp



ORDER NUMBER

LEDme®

| System | Model # | Shade Color | Finish |
|------------------------------|------------|-------------|------------------------|
| MP-LED Canopy | 538 | IR | BN |
| QP-LED Quick Connect™ | | | CH DB |

Canopy (MP) models ordered as complete unit.

Quick Connect™ (QP) models must be ordered with an adapter or canopy, see next page for ordering info.

Low Voltage

| System | Model # | Shade Color | Finish |
|--------------------------|------------|-------------|------------------------|
| MP- Canopy | 538 | IR | BN |
| QP Quick Connect™ | | | CH DB |

Line Voltage

| System | Model # | Shade Color | Finish |
|------------------------|------------|-------------|-----------|
| HM1- Flexrail1™ | 538 | IR | DB |
| HM- Flexrail2™ | | | PT |
| LTK- L Track | 538 | IR | BN |
| HTK- H Track | | | DB |
| JTK- J/J2 Track | | | |

All Line Voltage models ordered as complete unit, adapter included.

| System | Model # | Color | Finish |
|----------------------|----------------------------------|---------------------------------|----------------------|
| <input type="text"/> | <input type="text" value="538"/> | <input type="text" value="IR"/> | <input type="text"/> |

Example: **MP-LED538-IR/DB**

SHADE COLORS

IR - Iridescent



FINISHES

BN - Brushed Nickel



CH - Chrome



DB - Dark Bronze



PT - Platinum



WAC Lighting

www.waclighting.com

Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center

44 Harbor Park Drive • Port Washington, NY 11050

Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center

1750 Archibald Avenue • Ontario, CA 91760

Phone (800) 526.2588 • Fax (800) 526.2585





GINKGO– model: G538

Artisan Collection Glass Pendant

WAC LIGHTING

Responsible Lighting®

QUICK CONNECT™ ADAPTERS (order one per fixture)

| Solorail™ | Model # | Finish | Duorail™ | Model # | Finish |
|---|-----------------|-------------------------------------|---|--|--|
|  | LM-QADP | BN CH DB |  | LM2-QADP | BN CH DB |
| Flexrail1™ | Model # | Finish | 120V Track | Model # | Finish |
|  | HM1-EN50 | DB PT |  | EN-LQ50AR EN-HQ50AR EN-JQ50AR | BK BN DB WT |

ORDER NUMBER




Model # - Finish

Example: **LM-QADP-BN**

QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER

| | | | |
|--|--|--|--|
|  |  |  |  |
| Model # QMP-60ERN | Model # QMP-G1RN | Model # QMP-G3RN | Model # QMP-G3RE |
| Finish BN CH DB | Finish MR | Finish MR | Finish MR |

QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER

| | | |
|---|---|---|
|  |  |  |
| Model # QMP-MI-TR | Model # QMP-1RN-TR | Model # QMP-1SQ-TR |
| Finish BN CH DB | Finish BN CH DB | Finish BN CH DB |

ORDER NUMBER

Model # - Finish

Example: **QMP-60ERN-BN**

FINISHES

| | | | | | | |
|--|---|---|---|---|---|---|
| BK - Black | BN - Brushed Nickel | CH - Chrome | DB - Dark Bronze | MR - Mirror | PT - Platinum | WT - White |
|  |  |  |  |  |  |  |

WAC Lighting
www.waclighting.com
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center
44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center
1750 Archibald Avenue • Ontario, CA 91760
Phone (800) 526.2588 • Fax (800) 526.2585